
# Atlantic







# UNCOMPROMISED VERSATILITY

The frame of the Atlantic parasol is made of high quality aluminum and stainless steel, which makes it extremely resistant to wind and changing weather conditions.

During the extreme endurance tests in the aerodynamic tunnel of the Aviation Institute in Warsaw, the opened parasol withstood wind speeds of over 100 km/h!



# OCEAN OF POSSIBILITIES

We took care of the end-user's comfort even after sunset. Atlantic comes with an option of installing additional lighting in various configurations. This model can be ordered to come without lighting, with lighting only on the ribs or on the support ribs, or on both at the same time.

Our solutions allow you to create a unique atmosphere every evening.






# REMARKABLY FUNCTIONAL


Mounting the umbrella in its base was designed to be simple. The mobile base has adjustable feet that allow the umbrella to be leveled on uneven terrain – the foot adjustment range reaches up to 40 mm.

Atlantic parasol is additionally equipped with a cover that provides protection when the umbrella's folded. The cover perfectly protects the canopy against changing weather conditions throughout the year.

The umbrella is available with and without a valance on which optional print can be placed.







PDK 50 ATLANTIC weight: 251,5 kg, 1066 x 1066 x 140 mm

PDZ ATLANTIC weight: 8,9 kg, size: 300 x 300 x 880 mm

PDP 50 ATLANTIC BLACK weight: 19,2 kg, size:

PDP 50 ATLANTIC SILVER weight: 19,2 kg, size: 500 x 500 x 284 mm 500 x 500 x 284 mm




















# **OUTSTANDING QUALITY**

Every detail is made with great precision, bearing in mind the high quality of the parasol. We make every effort to ensure that each element we create meets the requirements of our customers, which is why we use only durable, high quality raw materials.

Strong aluminum hinges and additional fasteners provide not only extreme durability, but also improved aesthetics. The innovative cover stretching system is also a noteworthy solution. Only acrylic fabrics are used for the production of covers for these umbrellas.





Opening system	Type of fabric	Cover finish	Leg placement	Frame type	Lightning	No. of arms	Diameter of the mast
Telescopic	Acrylic	With a valance / without a valance	Central	Aluminium, anoda C-35	Optional	8	80 x 4 mm




















	4/8	5/8	3×4	4×5	3×3	3.5 × 3.5	4 × 4	5×5
A [mm]	4000	5000	4000	5000	3000	3500	4000	5000
A1 [mm]	-	-	3000	4000	-	-	-	-
B [mm]	3200	3350	2900	3050	3000	3000	3100	3350
C [mm]	2200	2200	2200	2200	2200	2200	2200	2200
D [mm]	1900	2000	1990	2100	2000	1850	1850	2020
E [mm]	3450	3750	3450	3920	3350	3500	3700	4250
F [mm]	1200	1000	900	700	1170	900	800	670
G [mm]	590	520	420	370	420	380	430	610







Sunbrella ref. No.



SJA 3705

Paris red SJA 3728



SJA 3729







SJA 5404





SJA 5453





SJA 5417















506

SJA 5416







3914

9644

9635

355/G142

5012



Litex Promo Sp. z o.o

Staroprzygodzka 117, 63-400 Ostrów Wielkopolski, Polanc

litexpromo.co.uk

+48 572 903 082

